

MATERIAL SAFETY DATA SHEET

(SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

Section I

Product Number: 643
Product Name: V WIPES GRAFFITI Date Prepared: January 1st, 2009
Manufacturer's Name: BRODI SPECIALTY PRODUCTS LTD Emergency Phone: 1- (800) 255-3924
Address: 250 COCHRANE DRIVE, UNIT 9 Information Phone: 1-(877) 744-0751
MARKHAM, ONTARIO, L3R8E5

Prepared By: MSDS Co-ordinator, (877) 744-0751 ext 205, Brodi Specialty Products Ltd.

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT: B

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

(All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
DIMETHYL ADIPATE	627-93-0	NE	NE		
DIMETHYL GLUTARATE	1119-40-0	NE	NE		
DIMETHYL SUCCINATE	106-65-0	NA	NA	10 MG/M3	
N-METHYL PYRROLIDONE	*+ 872-50-4	NOT ESTAB	NOT ESTAB	100 PPM	

Comment:

THIS PRODUCT CONTAINS THE TOXIC CHEMICALS MARKED WITH AN * SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 AND OF 40CFR372. THIS PRODUCT CONTAINS CHEMICAL(S) MARKED WITH A + KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N/A Specific Gravity (water=1) 1.08
Vapor Pressure(mm Hg) N/A Melting Point: N/A
Vapor Density(AIR=1) N/A Evaporation Rate: N/A
Solubility in Water: NEGLIG (Butyl Acetate=1)
Appearance and Odor: PURPLE CLOTH IMPREGNATED WITH CLEAR LIQUID, MILD ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):>200 TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: WATER, FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Special Fire Fighting Procedures: COOL EXPOSED CONTAINERS WITH WATER FOG.
FULL PROTECTING GEAR INCLUDING SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire and Explosion Hazards: NONE.

Section V: REACTIVITY DATA

Stability: Unstable: Conditions to avoid: EXCESS HEAT, OPEN FLAME.
Stable: X

Incompatibility (Materials to Avoid): OXIDIZERS, STRONG ACIDS, AND ALKALIS.

Hazardous Decomposition or Byproducts: OXIDES OF CARBON Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards(Acute and Chronic):
INHALATION: IRRITATION TO UPPER RESPIRATORY TRACT. EYES: MILD IRRITATION AND REDNESS. SKIN: REDNESS, DRYNESS AND IRRITATION WITH REPEATED OR PROLONGED EXPOSURE. INGESTION: STOMACH IRRITATION, NAUSEA, CRAMPS, VOMITING.
Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:Yes
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS
Medical Conditions Generally Aggravated by Exposure: NONE KNOWN
Emergency and First Aid Procedures: INHALATION: REMOVE VICTIM TO FRESH AIR
SKIN: WASH WITH SOAP AND WATER. SEE PHYSICIAN IF IRRITATION PERSISTS.EYES:
FLUSH WITH WATER FOR 15 MINUTES. SEE PHYSICIAN IF IRRITATION PERSISTS.
INGESTION:DO NOT INDUCE VOMITING. DRINK WATER.CONTACT PHYSICIAN IMMEDIATELY

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: SOAK UP SPILLED MATERIAL WITH INERT ABORBENT MATERIAL AND PLACE IN PROPERLY LABELED CLOSED CONTAINER FOR DISPOSAL.
Waste Disposal Method: DISPOSE OF RESIDUE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.
Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY PLACE KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.
Other Precautions: AVOID PROLONGED OR REPEATED INHALATION OF MIST OR VAPOR AND CONTACT WITH SKIN. KEEP OUT OF REACH OF CHILDREN.

Section VIII: CONTROL MEASURES

Respiratory Protection: USE WITH ADEQUATE VENTILATION.
Ventilation: Local Exhaust:RECOMMENDED
Mechanical: NOT REQUIRED Special: N/A
Other: N/A
Protective Gloves:CHEMICAL RESISTANT GLOVES RECOMMENDED.
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE.