

Revision date : 2015/02/17 Version: 2.0

Page: 1/9 (30581301/SDS GEN US/EN)

# 1. Identification

Product identifier used on the label

# **Magic Sponge**

#### Recommended use of the chemical and restriction on use

Recommended use\*: Open cell foam blocks for the production of cleaning appliances.; for industrial processing only

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

### Details of the supplier of the safety data sheet

Company: Brodi Specialty Products Ltd 3175 14th Avenue Unit 1 Markham On, L3R 0H1 Canada

Telephone: +1 877 744 0751

#### **Emergency telephone number**

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification Synonyms:

polymer based on melamine resin

# 2. Hazards Identification

### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

### **Classification of the product**

No need for classification according to GHS criteria for this product.

#### Label elements

The product does not require a hazard warning label in accordance with GHS criteria.

Revision date : 2015/02/17 Version: 2.0 Page: 2/9 (30581301/SDS\_GEN\_US/EN)

#### Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

#### **Emergency overview**

#### CAUTION:

May cause mechanical irritation to eyes, skin and respiratory system. Ensure adequate ventilation.

Note: This product does not require a MSDS or labelling under OSHA's Hazard Communication Standard because it meets the definition of an article (20 CFR 1910.1200 (c)). Under normal conditions of use, this product will not present an exposure hazard.

# 3. Composition / Information on Ingredients

#### According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
68037-49-0	>= 0.3 - < 3.0 %	Sulfonic acids, C10-18-alkane, sodium salts
68439-49-6	>= 0.0 - < 1.0 %	Ethoxylated alcohols

#### According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

This product is not regarded as hazardous under current OSHA Hazard Communication standard; CFR 29 Part 1910.1200.

### 4. First-Aid Measures

#### **Description of first aid measures**

#### General advice:

Remove contaminated clothing.

#### If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention.

#### If on skin:

Wash thoroughly with soap and water. Consult a doctor if skin irritation persists.

#### If in eyes:

If difficulties occur: Wash affected eyes for at least 15 minutes under running water with eyelids held open. If symptoms persist, seek medical advice.

#### If swallowed:

Rinse mouth and then drink plenty of water. Ingestion is not likely in the available physical form. If ingested, seek medical attention.

### Most important symptoms and effects, both acute and delayed

Symptoms: No significant reaction of the human body to the product known. Hazards: No hazard is expected under intended use and appropriate handling.

#### Indication of any immediate medical attention and special treatment needed

Revision date : 2015/02/17 Version: 2.0

#### Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# 5. Fire-Fighting Measures

# **Extinguishing media**

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

Unsuitable extinguishing media for safety reasons: water jet

### Special hazards arising from the substance or mixture

Hazards during fire-fighting: carbon monoxide, carbon dioxide, Formaldehyde, fumes/smoke, carbon black, toxic gases/vapours Formation of further decomposition and oxidation products depends upon the fire conditions.

### Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

The degree of risk is governed by the burning substance and the fire conditions. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

# 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Avoid dust formation. Avoid skin contact and inhalation of dust/aerosol.

### **Environmental precautions**

Discharge into the environment must be avoided.

#### Methods and material for containment and cleaning up

Sweep/shovel up. Dispose of absorbed material in accordance with regulations.

# 7. Handling and Storage

### Precautions for safe handling

Protect against moisture. Avoid dust formation. Processing machines must be fitted with local exhaust ventilation. Ensure thorough ventilation of stores and work areas.

Protection against fire and explosion: No special precautions necessary.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Protect against moisture.

# Revision date : 2015/02/17 Version: 2.0

Storage stability: May be kept indefinitely if stored properly.

# 8. Exposure Controls/Personal Protection

#### Personal protective equipment

#### **Respiratory protection:**

Breathing protection if dusts are formed. Observe OSHA regulations for respirator use (29 CFR 1910.134).

#### Hand protection:

Wear gloves to prevent contact during mechanical processing and/or hot melt conditions.

#### Eye protection:

Safety glasses with side-shields.

#### **Body protection:**

Body protection must be chosen based on level of activity and exposure.

#### General safety and hygiene measures:

No special measures necessary if stored and handled correctly. Handle in accordance with good industrial hygiene and safety practice. Hands and/or face should be washed before breaks and at the end of the shift. Consult the company Industrial Hygienist for recommendations on exposure testing and personal protective equipment.

# 9. Physical and Chemical Properties

Odour threshold:not determinedColour:whitepH value:not applicableMelting point:The substance / product decomposes
pH value:not applicableMelting point:The substance / product decomposes
Melting point: The substance / product decomposes
therefore not determined.
Boiling range: The substance / product decomposes
therefore not determined.
Sublimation point: No applicable information available.
Flash point: The substance / product decomposes
therefore not determined. Flammability: not highly
flammable
Lower explosion limit: As a result of our experience with this
product and our knowledge of its
composition we do not expect any hazard
as long as the product is used appropriately and in accordance with the
intended use.
Upper explosion limit: As a result of our experience with this
product and our knowledge of its
composition we do not expect any hazard as long as the product is used
appropriately and in accordance with the
intended use.
Autoignition: > 580 °C (ASTM D1929)
Vapour pressure: not applicable

Revision date : 2015/02/17 Version: 2.0		Page: 5/9 (30581301/SDS_GEN_US/EN)
Density:	approx. 4 - 12 g/l	( 20 °C, 1,013 hPa)
Relative density:	approx. 0.004 - 0.012	( 20 °C, 1,013 hPa)
Bulk density:		not applicable
Vapour density:		not applicable, The product is a non-
		volatile solid.
Partitioning coefficient n- octanol/water (log Pow):		not applicable
Self-ignition		not self-igniting
temperature:		
Thermal decomposition:	> 350 °C	
Viscosity, dynamic:		not applicable, the product is a solid
Viscosity, kinematic:		not applicable, the product is a solid
Solubility in water:		(20 °C, 1,013 hPa) not soluble
Solubility (quantitative):		No applicable information available.
Solubility (qualitative):	No applicable information available.	
Evaporation rate:		not applicable, The product is a non- volatile solid.
Other Information:	The product can absorb up to 100 times its own weight of liquid.	

# 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

### **Chemical stability**

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated.

### **Conditions to avoid**

Avoid humidity.

#### Incompatible materials

strong acids, strong oxidizing agents, Halogens/ halogenation agents

### Hazardous decomposition products

Decomposition products:

Possible decomposition products: At prolonged and/or strong thermal stressing above the decomposition temperature dangerous decomposition products can be formed.

Thermal decomposition: > 350 °C

# 11. Toxicological information

Primary routes of exposure

Revision date : 2015/02/17 Version: 2.0

Page: 6/9 (30581301/SDS GEN US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

### **Acute Toxicity/Effects**

Acute toxicity

Assessment of acute toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

<u>Oral</u> Type of value: LD50 Species: rat Value: > 5,000 mg/kg

Inhalation

Not inhalable due to the physico-chemical properties of the product.

#### Dermal

Type of value: ATE Value: > 5,000 mg/kg

#### Irritation / corrosion

Assessment of irritating effects: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Information on: Sulfonic acids, C10-18-alkane, sodium salts

Assessment of irritating effects: Corrosive! Damages skin and eyes. May cause severe damage to the eyes.

-----

#### Sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential. A sensitizing effect on particularly sensitive individuals cannot be excluded.

### **Chronic Toxicity/Effects**

#### Repeated dose toxicity

Assessment of repeated dose toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Genetic toxicity

Assessment of mutagenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

#### Carcinogenicity

Assessment of carcinogenicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. There is no formation of respirable dust during intended uses. However, if dust formation occurs at processing/finishing processing steps like regranulation, mechanical machining (for example drilling, grinding etc.), occupational protection regulations have to be considered.

Reproductive toxicity

Revision date : 2015/02/17 Version: 2.0

Page: 7/9 (30581301/SDS GEN US/EN)

Assessment of reproduction toxicity: Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

Other Information

Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses.

### Symptoms of Exposure

No significant reaction of the human body to the product known.

# **12. Ecological Information**

### Toxicity

Aquatic toxicity Assessment of aquatic toxicity: There is a high probability that the product is not acutely harmful to aquatic organisms. The product has not been tested. The statement has been derived from the structure of the product.

### Persistence and degradability

Assessment biodegradation and elimination (H2O) The polymer component of the product is poorly biodegradable. The insoluble fraction can be removed by mechanical means in suitable waste water treatment plants. In accordance with the required stability the product is not readily biodegradable. The product has not been tested. The statement has been derived from the structure of the product.

### **Bioaccumulative potential**

<u>Bioaccumulation potential</u> Because of the product's consistency and low water solubility, bioavailability is improbable.

# **13. Disposal considerations**

#### **Container disposal:**

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product. Completely emptied packagings can be given for recycling.

# 14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport

Revision date : 2015/02/17 Version: 2.0

Page: 8/9 (30581301/SDS\_GEN\_US/EN)

IATA/ICAO

Not classified as a dangerous good under transport regulations

# **15. Regulatory Information**

### **Federal Regulations**

Registration status: Chemical TSCA, US released / exempt

Article

EPCRA 311/312 (Hazard categories): Not hazardous;

State regulations

**CA Prop. 65:** WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

NFPA Hazard codes: Health : 1 Fire: 1 Reactivity: 0

HMIS III rating

Health: 1 Flammability: 1 Physical hazard:0

# **16. Other Information**

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2015/02/17

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Special:

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE

Revision date : 2015/02/17 Version: 2.0

Page: 9/9 (30581301/SDS\_GEN\_US/EN)

SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET